

FILEID**UAFREQ

H 13

UU UU AAAAAAA FFFFFFFF RRRRRRRR EEEEEEEEEE QQQQQQ
UU UU AAAAAAA FFFFFFFF RRRRRRRR EEEEEEEEEE QQQQQQ
UU UU AA AA FF RR RR EE QQ QQ
UU UU AA AA FF RR RR EE QQ QQ
UU UU AA AA FF RR RR EE QQ QQ
UU UU AA AA FF RR RR EE QQ QQ
UU UU AA AA FFFFFFFF RRRRRRRR EEEEEEEEEE QQ QQ
UU UU AA AA FFFFFFFF RRRRRRRR EEEEEEEEEE QQ QQ
UU UU AAAAAAAAAA FF RR RR EE QQ QQ QQ QQ
UU UU AAAAAAAAAA FF RR RR EE QQ QQ QQ QQ
UU UU AA AA FF RR RR EE QQ QQ QQ QQ
UU UU AA AA FF RR RR EE QQ QQ QQ QQ
UUUUUUUUUUU AA AA FF RR RR EEEEEEEEEE QQQQ QQ
UUUUUUUUUUU AA AA FF RR RR EEEEEEEEEE QQQQ QQ
.....
.....

SSSSSSSS DDDDDDDD LL
SSSSSSSS DDDDDDDD LL
SS DD DD LL
SSSSSSSS DDDDDDDD LLLLLLLL
SSSSSSSS DDDDDDDD LLLLLLLL

CV
VO

{ UAFREQ.SDL - Require file for AUTHORIZE

Version 'V03-002'

```
*****  
* COPYRIGHT (c) 1978, 1980, 1982, 1984 BY  
* DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.  
* ALL RIGHTS RESERVED.
```

```
** THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED  
** ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE  
** INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER  
** COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY  
** OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY  
** TRANSFERRED.
```

```
** THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE  
** AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT  
** CORPORATION.
```

```
** DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS  
** SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
```

MODULE: UAFREQ

FACILITY: UAF

ABSTRACT: REQUIRE FILE FOR AUTHORIZE

HISTORY:

```
VERSION: 'V04-000'  
AUTHOR: Jim Teague 13-Apr-1983
```

MODIFIED BY:

```
V03-002 MHB0152      Mark Bramhall    26-Apr-1984  
                  Add security auditing SYSUAFF bit definitions.
```

```
V03-001 ACG0385      Andrew C. Goldstein, 6-Jan-1984 17:38  
                  UAF format change - add misc constants
```

{--

module uafreq;

aggregate uafreq structure prefix uaf\$;

```
flags structure quadword unsigned;  
  rename bitfield mask;  
  add bitfield mask;  
  copy bitfield mask;  
  cli bitfield mask;          /* Flags:  
                                /* this is a RENAME operation  
                                /* this is an ADD operation  
                                /* this is a COPY operation  
                                /* /CLI specified
```

```
clitable bitfield mask;           /* /CLITABLES specified
clitab_pres bitfield mask;       /* /CLITABLES field was non-null

end flags;
constant disdialup equals 1;      /* DISDIALUP keyword
constant disnetwork equals 2;     /* DISNETWORK keyword

end uafreq;

aggregate sysuaff_bits structure prefix nsa_:

sysuaff structure quadword unsigned: /* SYSUAFF flags:
access bitfield;                  /* ACCESS modified
account bitfield;                 /* ACCOUNT modified
astlm bitfield;                   /* ASTLM modified
batch bitfield;                   /* BATCH modified
biolm bitfield;                  /* BIOLM modified
bytlm bitfield;                  /* BYTLM modified
cli bitfield;                     /* CLI modified
clitable bitfield;                /* CLITABLES modified
cpuftime bitfield;                /* CPUETIME modified
defprivileges bitfield;           /* DEFPRIVILEGES modified
device bitfield;                  /* DEVICE modified
dialup bitfield;                  /* DIALUP modified
diolm bitfield;                  /* DIOLM modified
directory bitfield;               /* DIRECTORY modified
enqlm bitfield;                  /* ENQLM modified
expiration bitfield;              /* EXPIRATION modified
fillm bitfield;                  /* FILLM modified
flags bitfield;                   /* FLAGS modified
interactive bitfield;             /* INTERACTIVE modified
jtquota bitfield;                 /* JTQUOTA modified
lgicmd bitfield;                 /* LGICMD modified
local bitfield;                   /* LOCAL modified
maxdetach bitfield;               /* MAXDETACH modified
maxjobs bitfield;                 /* MAXJOBS modified
maxacctjobs bitfield;              /* MAXACCTJOBS modified
network bitfield;                 /* NETWORK modified
owner bitfield;                   /* OWNER modified
password bitfield;                /* PASSWORD modified
pbytlm bitfield;                 /* PBYTLM modified
pflags bitfield;                  /* PFLAGS modified
p_restrict bitfield;               /* P RESTRICT modified
pgflquota bitfield;               /* PGFLQUOTA modified
prclm bitfield;                   /* PRCLM modified
primedays bitfield;               /* PRIMEDAYS modified
priority bitfield;                /* PRIORITY modified
privileges bitfield;              /* PRIVILEGES modified
pwdlifetime bitfield;              /* PWDLIFETIME modified
pwdminimum bitfield;               /* PWDMINIMUM modified
quepriority bitfield;              /* QUEPRIORITY modified
remote bitfield;                  /* REMOTE modified
sflags bitfield;                  /* SFLAGS modified
s_restrict bitfield;               /* S RESTRICT modified
shrfilm bitfield;                 /* SHRFILLM modified
tqelm bitfield;                  /* TQELM modified
```

```
    uic bitfield;
    wsdefault bitfield;
    wsextent bitfield;
    wsquota bitfield;
end sysuaff;

end sysuaff_bits;

end_module uafreq;
```

0405 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY